RECEIVED
CENTRAL FAX CENTER

JUL-18 2007

Appln No. 10/611,897 Amdt dated July 18, 2007 Reply to Office Action of June 22, 2007

## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

Claim 1. (Previously Presented): A method for compressing multi-dimensional data comprising the steps of:

- a) receiving the multi-dimensional data, the multi-dimensional data comprising a plurality of data vectors indicative of an image of an object;
- b) partitioning the plurality of data vectors into at least two clusters based on similarity of the data vectors such that each of the at least two clusters contains similar data vectors; and,
- c) providing each of the at least two clusters to at least a compression engine for processing.

Claim 2. (Previously Presented): A method for compressing multi-dimensional data as defined in claim 1 wherein the data vectors are partitioned in a geometrically irregular fashion.

Claim 3. (Previously Presented): A method for compressing multi-dimensional data as defined in claim 1 wherein the at least a compression engine comprises at least two compression engines and comprising the step c1) of assigning each of the at least two

Page 2 of 8

clusters to a respective compression engine of the at least two compression engines for simultaneously processing the at least two clusters.

Claim 4. (Previously Presented): A method for compressing multi-dimensional data as defined in claim 1 comprising the step of processing the at least two clusters by performing the steps of:

- d) determining a plurality of codevectors through training for approximating each of the data vectors of a cluster of the at least two clusters with a fidelity above a predetermined threshold based on the data vectors contained in the cluster; and,
- e) encoding each of the data vectors of a cluster using a codevector of the plurality of codevectors.

Claim 5. (Previously Presented): A method for compressing multi-dimensional data as defined in claim 4 comprising the steps of:

- f) storing the plurality of codevectors in a codebook of a cluster; and,
- g) storing in an index map of a cluster an index for each of the data vectors in the cluster indicative of a codevector's location within the codebook of the cluster.

Claim 6. (Previously Presented): A method for compressing multi-dimensional data as

Page 3 of 8

defined in claim 5 wherein the steps d) to g) are implemented using SAMVQ.

Claim 7. (Previously Presented): A method for compressing multi-dimensional data as defined in claim 5 comprising the step of providing the index map and the codebook for transmission.

Claim 8. (Previously Presented): A method for compressing multi-dimensional data as defined in claim 1 wherein the size of the at least two clusters is approximately similar within predetermined limits of difference.

Claim 9. (Previously Presented): A method for compressing multi-dimensional data as defined in claim 8 comprising the step of:

b1) adaptively controlling the size of each of the at least two clusters by splitting and merging the at least two clusters.

Claim 10. (Previously Presented): A method for compressing multi-dimensional data as defined in claim 1 wherein the data vectors are partitioned into the at least two clusters based on the distance of a data vector to the centroid of each of the at least two clusters.

Claim 11. (Previously Presented): A method for compressing multi-dimensional data

Page 4 of 8

as defined in claim 4 wherein the multi-dimensional data comprises data vectors of a regional data subset of a continuous data flow, the data vectors being indicative of a region of the image of an object.

Claims 12 - 16 (Cancelled):

Claim 17. (Previously Presented): A method for compressing a continuous data flow as defined in claim 1 comprising the steps of:

b1) partitioning the plurality of data vectors of the m<sup>th</sup> regional training set into at least two clusters based on similarity of the data vectors such that each of the at least two clusters contains similar data vectors; and,

b2) providing each of the at least two clusters to at least a compression engine for processing.

Claims 18 - 29 (Cancelled):

Claim 30. (Previously Presented): A storage medium having stored thereon at least an executable command for when executed resulting in performance of the steps of:

- a) receiving the multi-dimensional data, the multi-dimensional data comprising a plurality of data vectors indicative of an image of an object;
  - b) partitioning the plurality of data vectors into at least two clusters based

Page 5 of 8

on similarity of the data vectors such that each of the at least two clusters contains similar data vectors;

- c) providing each of the at least two clusters to at least a compression engine for processing;
- d) determining a plurality of codevectors through training for approximating each of the data vectors of a cluster of the at least two clusters with a fidelity above a predetermined threshold based on the data vectors contained in the cluster;
- e) encoding each of the data vectors of a cluster using a codevector of the plurality of trained codevectors;
  - f) storing the plurality of trained codevectors in a codebook; and,
- g) storing in an index map an index for each of the data vectors of a cluster indicative of a codevector's location within the codebook.

Claim 31. (Previously Presented): A system for compressing multi-dimensional data comprising:

a first port for receiving the multi-dimensional data;

electronic circuitry in data communication with the first port, the electronic circuitry for performing the steps of:

a) receiving the multidimensional data, the multi-dimensional data comprising a plurality of data vectors indicative of an image of an object;

## Page 6 of 8

- b) partitioning the plurality of data vectors into at least two clusters based on similarity of the data vectors such that each of the at least two clusters contains similar data vectors;
- c) providing each of the at least two clusters to at least a compression engine for processing;
- d) determining a plurality of codevectors through training for approximating each of the data vectors of a cluster of the at least two clusters with a fidelity above a predetermined threshold based on the data vectors contained in the cluster;
- e) encoding each of the data vectors of a cluster using a codevector of the plurality of trained codevectors;
  - f) storing the plurality of trained codevectors in a codebook; and,
- g) storing in an index map an index for each of the data vectors of a cluster indicative of a codevector's location within the codebook; and, a second port in data communication with the electronic circuitry for providing the regional codebook and the regional index map.

Claim 32. (Previously Presented): A system for compressing a continuous data flow as defined in claim 31 wherein the electronic circuitry comprises at least a processor.

Claims 33 - 34 (Cancelled):